		Receiv	ving Repo	ort						
* + D	ate: 14/01/	0_	Batch	' -	12789	5				
St	upplier: AM		Dart i	P/O:	2461					
Packing Slip: Invoice: Receipt:	Packing Slip: Yes No Release Note Attached: Yes No N/A Waybill Attached: Yes No N/A									
Discrepancies		antity	Quantity	Quantity	Quantity	Comments				
Part Number	Description	dered	Received	Returned	Short					
*										
		Initials	s of receiver	(if shipment	OK) Level	12//				
Production/Ad Date Received/Cos Initial	7/01/0				Locati	ion				

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

Purchase Order Receipt Listing

Wednesday, January 15, 2014 8:23:44 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO22467 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt		\$173.18		\$1,097.64		\$143.52		236.9000	0.0000	0.0000	\$1,414.33
MRB Qty/ MRB Reject Qty		0	0	0	0	0	0	uantity:) U/M):	uantity:	t Value: uantity:
Inspected Qty/ Rejected Qty (PO U/M)		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	Total Received Ouantity:	Total Qty to Inspect (PO U/M):	Total Reject Quantity:	Total Receipt Value: Total Balance Due Quantity:
Cost Per Unit/ Recv Value		\$1.35	\$173.18	\$85.09	\$1,097.64	\$1.50	\$143.52		Total		Tot
Recv Oty (PO U/M)		128.0000		12.9000		96.0000					
Recv Date/ Recv Emp		12/20/2013	DESJ02	1/10/2014	DESJ02	12/23/2013 12/20/2013	DESJ02				
Required Date Required Qty		12/23/2013 12/20/2013	128.0000	12/23/2013	12.0000	12/23/2013	96.0000				
PO U/M / Stock U/M	npi Steel	sf	t sf	1.500 f	x f	Each	NG 1- 8"				
Project ID Reference/ Description/ Cert Std	VC-CAM002 Campi Steel	M1010S18GA	1010/1025 SHEET .048 m127805	M174B2.000X01.500 f	17-4 SS Bar 2.00 x 1.500 m127895	71400-45	MILD STEEL SQUARE TUBING 1- 1/2 X 1-1/2 X 1/8" WALL	M12/805			
Project ID											
Line Nbr/ Insp Req	idor Name	_	No	2	No	3	N _o				
Purchase Order ID/ Curr Type	VendorID\Vendor Name	PO22467	CAD								



Mercil - Thank you! 1993 / 2013 DEPUIS - SINCE

935, boul. du Hâvre

Valleyfield, Québec J6S 5L1

Tél.: 450 377-4248 Fax: 450 377-5696

Vallevfield

EXPÉDIEZ À / SHIP TO

613-632-1053

VENDU À / SOLD TO

613-632-5200

Fax: 514 336-4246 Tél.: 514 336-4248 Montréal

STEEL AND SPECIALTY METALS DISTRIBUTOR

Tél.: 1 800 667-4248 Ontario

Fax: 1866 456-4242

COMPINIDE

822239

19/12/13 1 ORDER DATE

BON DE LIVRAISON PACKING SLIP

10/01/14 DATE DE LIVRAISON DELIVERY DATE

PAGE N° 601

REMARQUES / REMARKS K TERR.

MET 30 JOURS TERMES / TERMS CODE CLIENT / CUST. CODE TEXPÉDIER PAR / SHIP VIA 12345 DAER VEND,/SALESM. >

COMMANDÉ ORDERED

CODE DE PRODUIT PRODUCT CODE

Gi

1270 ABERDEEN STREET DART AEROSPACE LTD

1270 ABERDEEN STREET

-KAWKESBURY, ONTAKIO KGA 1K7

DART AEROSPACE LTD

HAWKESBURY,

DINTARIO KEA 1K7

EQUIP: LIFT

VOTRE Nº DE COMMANDE / YOUR P.O. Nº

0022467

MONTANT PAH

*

PRICE 12,00 POIDS ā × DESCRIPTION 1/2" FLAT 58-17-4 PH 1 122 184 EXPÉDIÉ SHIPPED

E GRATH DANS LE SENS DE LA LONGUEUR

#EAT \$ 237368

PC Pind carré Squara foot Pieds Foot UN Unite * Unités de mesure : CLB dent (100) livres CPI Cent (100) pieds Units of mesure : CLB Hundred paunds

Ci

POIDS TOTAL TOTAL WEIGHT

CONDITIONS

LES MATÉRIATION UNESS ET SECTURES TELS QUE DÉDITIS DEMOURENT LA PROPRIÉTÉ DE «ACIER CAMIDY INCLAIN PAREMET PAUBADY PAREMET PAUBADY PREMEIRE STORMANDE.

TANAISEL LES RICHALES DE PÉTRE DIEN BOINT À LA CHAPADE LE L'AGRAPHICE DEGLAITÉ DIMATÉRIE. ETS L'AMBÉRIE. ETS L'AMBERIE. ETS L'AMBÉRIE. ET L'AMBÉRIE. ET L'AMBÉRIE. ET L'AMBÉRIE. L' CONDITIONS

PRÉPARÉ PAR/PREPARED BY VERIFIE PAR / VERIFIED BY

Nº ENR. TPS / GST REG. Nº R 135 534 717

LIVRÉ PAR / DELIVERED BY

Nº ENR. TVQ / OST REG. Nº 1 015 668 543

SIGNATURE DU CLIENT / CUSTOMER'S SIGNATURE

HEURE/TIME

MARCHANDISE RECUE EN BONNE CONDITION / WERCHANDISE RECEIVED IN GOOD CONDITION M/W

T.V.Q. / T.V.H. G.S.T. / H.S.T. SOUS-TOTAL SUB TOTAL T.P.S. G.S.T. ALL SOLD AND DELIVERED MATERIALS, REMAINS THE PROPERTY OF "ACIER CAMPI INC." UNTIL PAYMENTS MADE FULL, COMPLETE AND CASHED. ALL LOST MATERIALS, ARE ATTHECUNING CONDITIONS. ARE 330 DAYS FROM BILLING DATE AND THE BUYER ACCEPTS TO PRY ADMINISTRATION CHARGES OF SEX FROM HOR THE WAY EST BANKING THAT IN THE SCHOOL IN RESPECT WITH THIS CONDITIONAL WAY ADMINISTRATION CHARGES OF SEX FROM HOR AS FER ANIMAINST THAT AND CHARGES OF SEX BOOKEN TO AKE SEX BANKING THE LOSD TO PRY ADDITIONAL WAY MADERIAL WAY ADDITIONAL OF THE LOSD TO PRY ADDITIONAL OF THE COLORS SOLD, ANY MEDICAL AND THE MAJANCE OF TO THE PROSESSION OF THE GOODS SOLD, ANY MEDICAL AND THE MAJANCE OF TO THE PROSESSION OF THE COLORS SOLD, ANY CHAMMANTS THE MAJANCE AND THE MAJANCE OF THE THAT WAS BEEN DAMAGED, CLIT OR MODIFIED CARNING THE MAJANCE AND THE MAJANCE THE THAT WAS BEEN DAMAGED, CLIT OR MODIFIED CARNING THE CHARGE AND THE MAJANCE THE THAT WAS BEEN DAMAGED, CLIT OR MODIFIED CARNING THE THAT WAS BEEN DAMAGED, CLIT OR MODIFIED CARNING THE THAT WAS BEEN DAMAGED, CLIT OR MODIFIED CARNING THE THAT WAS BEEN DAMAGED. 1/0

TOTAL

DATE

MILL TEST REPORT

Customer: RYEVAU PO#:747164 SO#:PR9440
Item:FB63CA01320200 Bundle:WA96332016 Heat#:237368

	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	WA9633.	2016					
Walzwerk	e Einsal	GmbH	*	inspection of the control of the con				Page 1
		- 40	国	No.	WZ0712-01110	of	25,07.12	
VATReg. No DE123	1841325	11		Your Order Shipment N		2/TCX L05886	- STOCK N	SW YORK
Walmard Elect Smith Schmolz-Bicken Attn.: Mill Direct 365 Village Drive 60188-1828 Chic U.S.A.	bach USA Inc		de	Symbol of (Manufacturers (S)	Surveyor of b	WEE	>
our works No. 3B12-10837	Item 180	Size 14542 Fiet 50,90 x 3	35,10 mm 1.1/2×2	"				Weight 872 KG
Material Number	14542		Standard Gre	ds of Material	X5CrNiCuNb18	4		
Heat Number	237384		Mathed of red	ltings	E		and or Winds	
Chamical enalysis C% 0,027 S	81 % 0,46 1 % 0,023		P 44 0,02 1	\$% 0,002	Cr% 15,29	MI %	4,45 Mc	% -0,00
colour markings one c additional information Country of melt und o	nd siver, packagir	hort langths: from 3050 ng size: max. 1192 kg, nzprobe Cond. n 986, ti lure:Germany in WAZ,	4 Spannerbander/sin	spping strips, quair		enti autschroff	068, ax. 5%	·
colour markings one c additional information Country of mail und s Requirements	nd siver, peckagir : WAZ mit Raferer ountry of manufact	ng alse: max. 1192 Kg.	4 Spannerbender/Sir est certificate with , re , DFAR 252.225.701	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one e additional information Country of melt und o Requirements test certificate: DIN El request of technical d	nd siver, peckagir : WAZ mit Raferer ountry of manufact	ng size: max. 1192 Kg. azprobe Cond. It 980, ti ture:Germany Im WAZ.	4 Spannerbender/Sir est certificate with , re , DFAR 252.225.701	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour marking; one caddiformation. Country of melt und caddiformation. Country of melt und caddiformation. Requirements. Lest conficate: DIN Elegent conficate disconnected d	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	ng ates: max. 1192 Kg, receptor of control of the c	4 Spannarbänder/ei- satz certificate with , re , DFAR 282.225.701 mension/shape: AST t M rev, 2010, AMS / FRRIT1840774 Cond. H900	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one a diditional information Country of melt und o Requirements east confiscate: DIN El request of rechnical d Sample Mechanical properti	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	ng stare max. 1192 Kg, reprobe Cond. in 980, k turnsgrobe Cond. in 980, k turnsgrobe Cond. in 980, kin WAZ, ri/2005, lolerance of di in: ASTM A 564 / A 564 PR0712-00773 Cond. A	4 Spannarbander/ei- satz catificate with , re , DFAR 282.225.701 mension/shape: AST E M rev. 2010, AMS 1 FRRITT 8-00774 Cond. H900	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one a destigent information Country of melt und of Requirements test confilosite: DIN El request of technical d Sample Mechanical proporti Rp 0.2% Mpa	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	ng stare max. 1192 kg, supprobe Cond. in 900, k turer:Germany in WAZ. M/2005, tolerance of dim: ASTM A 564 /	4 Spannarbänder/ei- satz catificate with , re , DFAR 282.225.701 mension/shape: AST E M rev. 2010, AMS / FR071 R40774 Cord. H900 1330 1405	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one a diditional information Country of melt und o Requirements test certificate: DIN El request of technical d Sample Mechanical properti Rp 0.2% Mpa Rm Mpa A50%	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	pg stars: max. 1192 Kg, upprobe Cand. In 980, k turn: Germany Im WAZ, 11/2005, tolerance of dim: ASTM A 564 / A 564 / R 564 /	4 Spannarbänder/ei- ste cettificate with , re , DFAR 282-225,701 mienalbalstrape: AST t M rev. 2010, AMS i PRRFT 8-40774 Cond. H900 1330 1445 144,0	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one a distinguish information Country of mail und a Requirements test confificate: DIN El request of technical d Sample Mechanical properti Rp 0.2% Mpa Rm Mpa ASS%	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	ng stare max. 1192 kg, supprobe Cond. in 900, k turer:Germany in WAZ. M/2005, tolerance of dim: ASTM A 564 /	4 Spannarbänder/ei- satz catificate with , re , DFAR 282.225.701 mension/shape: AST E M rev. 2010, AMS / FR071 R40774 Cord. H900 1330 1405	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011#
colour markings one a activitional binomation Country of melt und o Requirements. test conflicate: DIN El request of technical d Sample Mechanical properti Rp 0.2% Mps Rm Mps ASO% 2% Hardness	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	pg stars max. 1192 kg, supprobe Cond. in 900, k tures Germany in WAZ. M/2005, totars not of district ASTM A 564 / A 5	4 Spannarbänder/ei- ste cettificate with , re , DFAR 282-225,701 mienalbalstrape: AST t M rev. 2010, AMS i PRRFT 8-40774 Cond. H900 1330 1445 144,0	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		97/2011a
colour markings one a activitions thornastion Country of melt und o Requirements test cortificate: DIN El request of technical d Sample Mechanical properti Rp 0.2% Mps Rm Mps ASO56 2% Hardness	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	pg stars: max. 1192 Kg, upprobe Cand. In 980, k turn: Germany Im WAZ, 11/2005, tolerance of dim: ASTM A 564 / A 564 / R 564 /	4 Spannarbänder/ei- para 282.225.701 Mension/shape: AST #R071 R-00774 Cord. H900 1330 1405 14,0 52,7	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one a distignant information Country of melt und o Requirements test confiloate: DIN El request of technical d Sample Mechanical properti Rip 0.2% Mipa Rin Mipa ASOM 2% Hardiners HB	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	pg stars: max. 1192 kg, supprobe Cond. in 900, k turer:Germany in WAZ, m/2005, tolerance of din: ASTM A 554 / A 555 /	4 Spannarbänder/ei- ste certificate with , re , DFAR 282.225,701 mension/strape: AST # Mrey. 2010, AMS 1 #FRI71 240774 Certd, H900 1330 1405 14,0 52,7	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi aufschreit Della-FE: mi		77/2011a
colour markings one a distribution from the marking of the marking	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	pg stars: max. 1192 kg, supprobe Cond. in 900, k turer:Germany in WAZ, m/2005, tolerance of din: ASTM A 554 / A 555 /	4 Spannarbänder/ei- ste certificate with , re , DFAR 282.225,701 mension/strape: AST # Mrey. 2010, AMS 1 #FRI71 240774 Certd, H900 1330 1405 14,0 52,7	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi autschreit Della-FE: mi		Wi2011a
colour markings one a diditional information Country of melt und o Requirements test certificate: DIN El request of technical d Sample Mechanical properti Rip 0.2% Mpa Rm Mpa ASOM 2% Herdiners	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	ng star: max. 1192 kg, upprobe Canol. n 980, k turer:Germany in WAZ, nt/2005, tolerance of dim: ASTM A 564 / A 56: PR0712-00773 Cond. A 1162 1270 10,2 53.4	4 Spannarbänder/ei- ste certificate with , re , DFAR 282.225,701 mension/strape: AST # Mrey. 2010, AMS 1 #FRI71 240774 Certd, H900 1330 1405 14,0 52,7	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi autschreit Della-FE: mi		77 (2011 ta
colour markings one a satelytoma thormation Country of melt und or Requirements. test conflicate: DIN El request of technical d Sample Mechanical properti Rp 0.2% Mpg Rm Mpa A50% Z% Hardinama HB HRC Sarudure Crain size	nd elver, packagi VVAZ mit Rateron ountry of manufact N 10204/3.1 rev. 0 elivery specificatio	ng stars max. 1192 kg, supprobe Cond. n 900, k tures Germany In WAZ. M/2005, toterance of district ASTM A 664 / A 664	4 Spannarbänder/ei- ste certificate with , re , DFAR 282.225,701 mension/strape: AST # Mrey. 2010, AMS 1 #FRI71 240774 Certd, H900 1330 1405 14,0 52,7	terence speciment	Cond. h 900, Stocks 85, HRC; max. 38	shi autschreit Della-FE: mi		77/2011a

MILL TEST REPORT

TA CHEN INTERNATIONAL, INC.

Customer: RYEVAU PO#:747154 SO#:PR9440

Tem: F863CA0132020 Surface Surf

Item: FB63CA01320200 Bundle: WA96332016 Heat#:237368

MTR#:WARB01116-2.GIF

Walzwerke Einsal GmbH

VAT Reg. No DE123841325

Maintende Ebed Smith . Fort Box 20 - SEIGE Nachroo Schmolz-Bickenbach USA Inc. Attn.: Mill Direct 365 Villege Drive S0188-1828 Chicago Carol Stream, IL U.S.A.

	ton Carette 10204/3.1	entes		Page	2.
No.	WZO	712-01116	of	26,07.12	
Your Or Shipme		01D12-1		es - STOCK NEW YOR	к
Symbol	of Manufa	cturers.	Surveyor	WEE .	

our works No. AB12-10537	item 180	9lze 14542 Flat 50,80 x 38.	3lco 14542 Flat 50,00 x 38,10 mm 1,1/2 x 2 "				
Material Number	1454	2	Standard Grado of Material	XECKNICUND18-4			
Host Number	237358		Method of malting:	E			
Romank							
Country of melt:		Germany					
Country of manufactu	ne:	Germany					

Mercury: Macro and micro test: Ta Figure: No contamination Salisfactory
Te < 0.01%
1.) Solution annualed 2.) Reference sample - H 900 Sample conditions:

The delivery corresponds to the requirements mentioned. The certificate has boot obtabilished by mechine and acc. to EN 10284 it is logal without Signature.

Telephone 0 23 52 3 32-0 Telefato 0 23 52 33 21 62

Feldman

MATERIAL RECEIPT INSPECTION FORM

MATERIAL:	M1743 3.000 x01.500 M	127895	
RECEIVED BY:	hine Doganden		
DATE:	300. 14H, 2014		
P/O#	22467	MATERIAL CERT RECEIVED	Yes-
QUANTITY ORDERED:	12,01	QUANTITY RECEIVED:	XI Bar @
THICKNESS ORDERED:	2.0 +1.5	THICKNESS RECEIVED:	
SHEET SIZE:	N A	SHEET SIZE RECEIVED:	

DESCRIPTION		CR eck (N)	COMMENTS				
SURFACE DAMAGE	Υ	(N)					
INCORRECT FINISH	Υ	W					
CORROSION	Υ	(N)					
INCORRECT GRAIN DIRECTION	Υ	N	ANIMATIN DESIGNATION OF THE STATE OF THE STA				
INCORRECT MATERIAL	Υ	N	TARREST SITE A CONTROLL FOR THE DESCRIPTION OF START S				
INCORRECT THICKNESS	Υ	(D)	. NO REPUREL PRIMER STATE . RESIDENCE AND THE CAMPED E				
PHOTO REQUIRED	Υ	(N)	ANY PROJECT REQUIRED TO DO BE SOTTED LONG THE SECURITION OF				
CORRECT MATERIAL	(1)	N	HOMOTORESH RESEARS JANSETAN JAN KA				
CORRECT REF # TO LINK CERT	(Y)	N	HEAT \$ 237368				
CORRECT MATERIAL IDENTFICATION	Y	N	SAID) IN IDUNIS LANGUAR SAID SAID A TERMINET				
CORRECT M# ON THE MATERIAL	8	N					
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	8	N	see below.				
DOES THIS REQUIRE AN EXTRUSION REPORT	Υ	(3)					

Γ	CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW							
	TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D			
	SIZE OF TEST SAMPLE	20+151.250 Hill				14/0/14		
	HARDNESS / DUROMETER READING	36-37 HRC.				1 1101111		

testers located in the Quality Office

QC 18 INSPECTION	T BAS	ENGINEERING SIGNOFF (if required)
INSPECTED BY:	16	BY:
DATE:	9-89 14/6/14	DATE: 19/1/14
D/ (TE.	11-111	7,77

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO22467

Purchase Order Date 12/19/2013 PO Print Date 12/19/2013

Page Number 1 of 2

Order From:

CAMPI STEEL 935 BOUL. DU HAVRE VALLEYFIELD, QC J6S 5L1 VC-CAM002

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Buyer

Chantal Lavoie

800 667 4248

Customer POID Customer Tax #

10127-2607

Ship To Contact

Ship To Phone

Terms Currency Net 30 CAD

Ship Via: Ship Acct:

Yours ppd

FOB

FCA - (Free Carrier)

Line	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date		Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M1010S18GA	1010/1025 SHEET .048	12/23/2013		128.00	 \$1.44	\$184.19
	e,		Yes		sf		
			12/23/2013				
	MATERIAL: AISI 1010-1025	OR ASTM A36/A366/A1008 OF	CSA G4021,38V	V			

44W/50W/60W/70W COLD ROLD MINIMUM YIELD TENSILE STRENGTH = 28 KSI MINIMUM ULTIMATE TENSILE STRENGTH = 42 KSI

Line Total:

\$184.19

M174B2.000X01.500

17-4 SS Bar 2.00 x 1.500

12/23/2013

Yes 12/23/2013

\$90.50

\$1,086.00

MATERIAL: 17-4 PH SS BAR AS PER AMS 5604/5643 GRAIN ALONG LENGTH OF BAR MINIMUM YIELD TENSILE STRENGTH = 100 KSI MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI

Line Total:

\$1,086.00

Note: